

TRANDOLAPRIL GENERIC HEALTH

Consumer Medicine Information

What is in this leaflet

This leaflet answers some common questions about Trandolapril Generic Health.

It does not contain all the available information.

It does not take the place of talking to your doctor or pharmacist.

All medicines have risks and benefits. Your doctor has weighed the risks of you taking Trandolapril Generic Health against the benefits they expect it will have for you.

If you have any concerns about taking this medicine, ask your doctor or pharmacist.

Keep this leaflet with the medicine.

You may need to read it again.

What Trandolapril Generic Health is used for

Trandolapril Generic Health is used to treat high blood pressure, which doctors call hypertension and also to treat some heart conditions.

There are usually no symptoms of hypertension. The only way of knowing that you have hypertension is to have your blood pressure checked on a regular basis. If high blood pressure is not treated it can lead to serious health problems. You may feel fine and have no symptoms, but eventually hypertension can lead to serious health problems, including stroke, heart disease and kidney failure. Trandolapril Generic Health helps to lower your blood pressure.

Trandolapril Generic Health belongs to a group of medicines called Angiotensin Converting Enzyme (ACE) inhibitors. It works by relaxing your blood vessels, making it easier for blood to move around your body. This helps lower blood pressure and increase the supply of blood and oxygen to the heart.

Your doctor may prescribe Trandolapril Generic Health for another reason. Ask your doctor if you have any questions about why Trandolapril Generic Health has been prescribed for you.

Trandolapril Generic Health is only available with a doctor's prescription.

Trandolapril Generic Health is not addictive.

Trandolapril Generic Health is not recommended for use in children as there have been no studies of its effects in children.

Before you take Trandolapril Generic Health

When you must not take it

Do not take Trandolapril Generic Health if you have had an allergic reaction to Trandolapril Generic Health or to any of the ingredients listed at the end of this leaflet.

Symptoms of an allergic reaction may include skin rash, itchiness, shortness of breath, swelling of the face, lips, tongue, throat, hands or feet.

Do not take Trandolapril Generic Health if you have taken any other ACE inhibitor medicine before which caused your face, lips, tongue, throat, hands or feet to swell up or made it hard for you to breathe.

If you have had an allergic reaction to an ACE inhibitor before, you may be allergic to Trandolapril Generic Health.

Do not take Trandolapril Generic Health if you have a history of swelling of the face, lips, mouth, tongue, throat, hands or feet for no apparent reason.

Taking Trandolapril Generic Health could cause this problem to happen again.

Do not take Trandolapril Generic Health if you are undergoing haemodialysis or having your blood treated outside your body.

Taking Trandolapril Generic Health could cause an allergic reaction.

Do not take Trandolapril Generic Health if you are pregnant or intend to become pregnant.

Trandolapril Generic Health may affect your developing baby if you take it during pregnancy.

Do not take Trandolapril Generic Health if you are breastfeeding or plan to breastfeed.

Like most ACE inhibitors, Trandolapril Generic Health is not recommended while you are breastfeeding.

Do not take Trandolapril Generic Health after the expiry date printed on the pack.

Do not take Trandolapril Generic Health if the packaging is torn or shows signs of tampering or if the capsules don't look quite right. If you are not sure whether you should start taking Trandolapril Generic Health, contact your doctor.

Before you start to take it

Tell your doctor if you have allergies to:

- any other medicines
- any other substances, such as foods, preservatives or dyes

Tell your doctor if you have or have had any medical conditions, especially the following:

- kidney or liver problems
- regular dialysis, blood filtration or similar procedures
- high levels of potassium in your blood
- dizzy spells
- diabetes
- connective tissue disease
- are about to have surgery or a general anaesthetic
- any heart conditions

Tell your doctor if you have a family history of excessive swelling of the face, lips, mouth, tongue or throat.

Tell your doctor if you are following a very low salt diet.
Tell your doctor if you are about to receive desensitisation treatment for an allergy e.g to insect stings

Tell your doctor if you plan to become pregnant or breastfeed.
Trandolapril Generic Health should not be used during pregnancy or while you are breastfeeding.

If you have not told your doctor about any of the above, tell him/her before you start taking Trandolapril Generic Health

Taking other medicines

Tell your doctor if you are taking any other medicines, including any that you buy without a prescription from your pharmacy, supermarket or health food shop.

Some medicines and Trandolapril Generic Health may interfere with each other. These include:

- other high blood pressure medicines including diuretics (fluid) tablets
- lithium - a medicine used to treat mood changes
- some medicines used to treat arthritis, pain or fever
- potassium supplements or large amounts of salt
- potassium-containing salt substitutes on your food (check the label)
- antacids
- medicines which lower the body's resistance to disease
- general anaesthetics

These medicines may be affected by Trandolapril Generic Health or may affect how well it works. Your doctor or pharmacist can tell you what to do if you are taking any of these medicines. They also have a more complete list of medicines to be careful with or avoid while taking Trandolapril Generic Health.

How to take Trandolapril Generic Health

How much to take

Your doctor will tell you how many capsules you will need to take each day. This depends on your condition and whether or not you are taking any other medicines.

The usual dosage is one or two capsules taken once daily, up to a maximum of 4 mg (two 2 mg capsules) once daily.

Dosage for older people over 65 years.

The usual starting dose for older people is less than that for younger adults. Your doctor will adjust the dose of Trandolapril Generic Health, depending on how quickly your kidneys and liver can remove it from your body.

Follow all directions given to you by your doctor or pharmacist carefully.

These directions may differ from the information contained in this leaflet.

If you do not understand the instructions on the box ask your doctor or pharmacist for help.

How to take it

Swallow Trandolapril Generic Health with water.

When to take it

Take Trandolapril Generic Health at about the same time each day.

Taking your capsules at the same time each day will have the best effect. It will also help you remember when to take the capsules.

It does not matter if you take Trandolapril Generic Health before, during or after food.

If you need to take an antacid, take it at least 2 hours before or 2 hours after your dose of Trandolapril Generic Health.

If you forget to take it

If it is almost time for your next dose, skip the dose you missed and take your next dose when you are meant to.

Otherwise, take it as soon as you remember, and then go back to taking your medicine as you would normally.

Do not take a double dose to make up for the dose that you missed.

This may increase the chance of you getting an unwanted side effect.

If you are not sure what to do, ask your doctor or pharmacist. If you have trouble remembering to take your medicine, ask your pharmacist for some hints.

How long to take them

Trandolapril Generic Health helps control your condition, but does not cure it.

Therefore you must take Trandolapril Generic Health every day. Continue taking the capsules for as long as your doctor tells you.

If you take too much (overdose)

Immediately telephone your doctor or pharmacist or the Poisons Information Centre (telephone 13 11 26), or go to Accident and Emergency at your nearest hospital, if you think that you or anyone else may have taken too many Trandolapril Generic Health. Do this even if there are no signs of discomfort or poisoning.

You may need urgent medical attention. If you take too many Trandolapril Generic Health capsules, you may feel dizzy, light-headed, weak, have palpitations or faint.

While you are using Trandolapril Generic Health

Things you must do

Have your blood pressure checked when your doctor says, to make sure Trandolapril Generic Health is working.

If you become pregnant while taking Trandolapril Generic Health tell your doctor immediately.

If you feel light-headed or dizzy after taking your first dose of Trandolapril Generic Health, or when your dose is increased, tell your doctor immediately.

Tell your doctor if you have excessive vomiting and/or diarrhoea while taking Trandolapril Generic Health.

You may lose too much water and salt and your blood pressure may drop too much.

Drink plenty of water when you are using Trandolapril Generic Health, especially if you sweat a lot (e.g. during hot weather or exercise).

If you do not drink enough water while taking Trandolapril Generic Health, you may faint or feel light-headed or sick. This is because your blood pressure is dropping suddenly. If you continue to feel unwell, tell your doctor.

Tell any other doctors, dentists and pharmacists who are treating you that you are taking Trandolapril Generic Health.

If you are about to be started on any new medicines, tell your doctor, dentist or pharmacist that you are taking Trandolapril Generic Health. If you plan to have surgery that needs a general anaesthetic, tell your doctor or dentist that you are taking Trandolapril Generic Health. If you are about to have any blood tests, tell your doctor that you are taking Trandolapril Generic Health capsules.

Trandolapril Generic Health may interfere with the results of some tests.

Go to your doctor regularly for a check-up.

Your doctor may occasionally do a blood test to check your potassium level in the blood and to see how your kidneys are working.

Things you must not do

Do not give Trandolapril Generic Health to anyone else, even if they have the same condition as you. Do not take Trandolapril Generic Health to treat any other complaints unless your doctor tells you to. Do not stop taking Trandolapril Generic Health, or lower the dosage, without checking with your doctor.

Things to be careful of

If you feel light-headed, dizzy or faint, get up slowly when getting out of bed or standing up.

Standing up slowly, especially when you get up from bed or chairs, will help your body get used to the change in position and blood pressure. If this problem continues or gets worse, talk to your doctor.

Be careful driving or operating machinery until you know how Trandolapril Generic Health affects you.

Trandolapril Generic Health may cause dizziness, light-headedness or tiredness in some people. Make sure you know how you react to Trandolapril Generic Health before you drive a car, operate machinery, or do anything else that could be dangerous if you are dizzy or light-headed. **If this occurs do not drive.**

If you drink alcohol, dizziness or light-headedness may be worse.

Side Effects

Tell your doctor or pharmacist as soon as possible if you do not feel well while you are taking Trandolapril Generic Health.

Trandolapril Generic Health helps most people with hypertension and some heart conditions, but it may have unwanted side effects in a few people. All medicines can have side effects. Sometimes they are serious, most of the time they are not. You may need medical treatment if you get some of the side effects.

If you are over 65 years of age you may have an increased chance of getting side effects.

Ask your doctor or pharmacist to answer any questions you may have. Tell your doctor if you notice any of the following and they worry you:

- light-headedness or dizziness
- nausea, vomiting, diarrhoea or stomach pains
- indigestion
- persistent dry cough
- headache
- unusual tiredness or weakness
- aching, tender or weak muscles not caused by exercise
- taste disturbance

These are the more common side effects of Trandolapril Generic Health.

Tell your doctor immediately if you notice any of the following:

- fast or irregular heart beat also called palpitations
- signs of worrying or frequent infections such as fever, severe chills, sore throat or mouth ulcers.
- itchy skin rash or other skin problems
- symptoms of sunburn (such as redness, itching, swelling, blistering) which may occur more quickly than normal.

These may be serious side effects. You may need urgent medical attention. Serious side effects are rare.

If any of the following happen, stop taking Trandolapril Generic Health and tell your doctor immediately or go to Accident and Emergency at your nearest hospital.

- fainting within a couple of hours of taking Trandolapril Generic Health
- swelling of the face, lips, mouth, tongue or throat which may cause

difficulty in swallowing or breathing.

- severe dizziness and confusion with visual disturbances and speech problems
- chest pain
- rapid, shallow breathing, cold clammy skin, a rapid, weak pulse, dizziness, weakness and fainting.

These are very serious side effects. You may need urgent medical attention or hospitalisation. These side effects are very rare.

Other side effects not listed above may occur in some patients. Tell your doctor if you notice anything that is making you feel unwell.

Do not be alarmed by this list of possible side effects. You may not experience any of them.

After using Trandolapril Generic Health

Storage

Keep your capsules in the pack until it is time to take them.

If you take the capsules out of the pack they will not keep well.

Store in a cool dry place below 25°C. Do not store Trandolapril Generic Health or any other medicine in the bathroom or near a sink.

Do not leave them in the car on hot days or on a window sill.

Heat and dampness can destroy some medicines.

Keep it where children cannot reach it.

A locked cupboard at least one-and-a-half metres above the ground is a good place to store medicines.

Disposal

If your doctor tells you to stop taking Trandolapril Generic Health or the capsules have passed their expiry date, ask your pharmacist what to do with any that are left over.

Product description

What it looks like

Trandolapril Generic Health is available in four different strengths.

Trandolapril Generic Health 0.5 mg capsules are orange coloured with cap imprinted with 'TR' in black ink and ivory coloured body imprinted with '0.5' in black ink.

Trandolapril Generic Health 1 mg capsules are orange coloured cap imprinted with 'TR' in black ink and light orange coloured body imprinted with '1' in black ink.

Trandolapril Generic Health 2 mg capsules are orange coloured cap imprinted with 'TR' in black ink and orange coloured body imprinted with '2' in black ink.

Trandolapril Generic Health 4 mg capsules are flesh coloured cap imprinted with 'TR' in black ink and flesh coloured body imprinted with '4' in black ink.

Ingredients

Active Ingredients:

Trandolapril Generic Health 0.5 mg – 0.5 mg trandolapril per capsule

Trandolapril Generic Health 1 mg – 1 mg trandolapril per capsule

Trandolapril Generic Health 2 mg – 2 mg trandolapril per capsule

Trandolapril Generic Health 4 mg – 4 mg trandolapril per capsule

Inactive Ingredients:

Lactose
Starch- maize
Povidone
Sodium stearyl fumarate

In addition the 0.5mg and 2mg capsule contains the following:

gelatin
titanium dioxide (E171),
erythrosine – FD & C red 3 (E127),
yellow iron oxide (E172)
black ink (SW-9008).

The 1 mg capsule contains:
gelatin
titanium dioxide (E171)
erythrosine – FD & C red 3 (E127),
yellow iron oxide (E172)
red iron oxide (E172)
black ink (SW-9008).

The 4mg capsule contains:
gelatin

titanium dioxide (E171)
red iron oxide (E172)
black ink (SW-9008 / SW-9009).

Trandolapril Generic Health does not contain gluten, sucrose, tartrazine or any other azo dyes

Supplier

Generic Health Pty Ltd
Suite 1, 1175 Toorak Road
Camberwell, VIC 3124

Australian Registration Numbers:

Trandolapril Generic Health 0.5 mg:
AUST R 135859

Trandolapril Generic Health 1 mg:
AUST R 135966

Trandolapril Generic Health 2 mg:
AUST R 135976

Trandolapril Generic Health 4 mg:
AUST R 135982

This leaflet was prepared in January 2009